

**Bouncy Castles of North London
- Football Darts Risk Assessment**

Hazard area	HAZARD	Existing control methods	Harm 1-5	Likelihood 1-5	Risk 1-5	Further controls to reduce risk
Football Darts	Lack of supervision	Inflatable not operated when there is no supervision	5	1	5	Deflate the item to prevent it being used
Football Darts	Danger of injury due to hard surfaces	Inflatable should never be used during inflating or deflation. Inflatable needs to be fully inflated	5	1	5	
Football Darts	Tripping over anchorage points/spare equipment/electrical cable - Users/Public	All anchor points used as per manufacturers instructions and spare equipment leads etc either stowed/erected safely	1	1	1	In event of large number of participants attending, Where possible fencing erected. additional safety electrical cables does not cross any public pathway. If unavoidable cable erected overhead or covered.
Football Darts	Adverse weather conditions - Users	In heavy rain or high winds the equipment should not be used. Electrical equipment must be stored in a sheltered area.	2	5	10	Deflate item in high winds.
Football Darts	Injury through incorrect positioning of the Inflatable. - Users/Public	Do not move or try to reposition the Unit or interfere with the anchor pegs or sandbags	1	4	4	
Football Darts	Danger of falling from height - Users	Climbing, hanging or sitting on football dartboard is prohibited	1	2	2	Users that are too boisterous And refuse to behave responsibly should not be allowed near the inflatable.

Football Darts	Choking - Users	No eating, drinking or chewing gum whilst using inflatables while taking shots	5	2	10	
Football Darts	Injury by failure of equipment - Users	Supervisor must inspect the equipment regularly.	3	1	3	Check inflatable is at good pressure and that the area points are secured by either sand bags or steel stakes. Ensure that safety mats are in the correct positions.
Football Darts	Slips and trips - Users	Ensure all walk ways are clear of hazards	3	1	3	
Football Darts	Risk of fire from generator/blower - Users/Public	All spare fuel is stored in a suitable marked container and is in a safe place. Refuelling should only be done when the inflatable is switched off.	5	1	5	
Football Darts	Injury from 3rd party objects. - Users/Public	Ensure the area is clear of hazardous materials.	3	1	3	Shoes should be warned when waiting to use the equipment.
Football Darts	Injury from over crowding - Users	Ensure that the maximum number of users is observed.	2	1	2	With large numbers of users more than one supervisor may be needed
Football Darts	Injury by collision between users.	Only one person taking shots from one area at a time, ensure the area is not overcrowded to prevent collision	2	2	4	
Football Darts	Boisterous or reckless behaviour - Users	A responsible person is supervising at all times.	2	2	4	Ensure no user is under the influence of drugs or alcohol
Football Darts	Danger of fire - Users/Public	No smoking/ barbecues/fires near inflatables	5	1	5	
Football Darts	Injury through incorrect anchoring - Users/Public	All anchor points used as per manufacturers instructions	5	1	5	Pegs go in at a 45 degree angle, all the way in as to properly anchor the inflatable and prevent a tripping hazard

01/06/2025	Risk Assessment carried out by Piotr Ejsmont					
------------	---	--	--	--	--	--